

# **TYPE APPROVAL CERTIFICATE**

Certificate No: TAA00001H5 Revision No: 1

This is to certify: That the Peripheral Equipment

with type designation(s) KEI-LCD19GA, KEI-LCD19GA2, KEI-LCD19GD

## Issued to KEI System Co., Ltd. Osaka-city, Osaka Pref, Japan

is found to comply with DNV rules for classification – Ships, offshore units, and high speed and light craft

### **Application** :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Location classes:

TemperatureBHumidityBVibrationAEMCBEnclosureA / IP20

Issued at Høvik on 2023-01-13

This Certificate is valid until **2027-12-31**. DNV local unit: **Kobe** 

Approval Engineer: Ståle Sneen

for **DNV** 

Frederik Tore Elter Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.





 Job Id:
 262.1-013210-7

 Certificate No:
 TAA00001H5

 Revision No:
 1

#### **Product description**

KEI marine flush mount LCD display panel comprising the following models:

Model name	Description	Power supply	Compass safe distance
KEI-LCD19GA	19" 4:3 format	SVB12SA (AC100V)	Standard: 130 cm, Steering: 85 cm
KEI-LCD19GA2	19" 4:3 format	SVB12SB (AC220V)	Standard: 130 cm, Steering: 85 cm
KEI-LCD19GD	19" 4:3 format	SVB12SC24 (DC+24V)	Standard: 130 cm, Steering: 85 cm

Power supply noise filter MBW1203-22 is required for all models.

#### **Approval conditions**

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

#### Type Approval documentation

i ypo / ppi o rai dobamontation		
KEI SYSTEM CO., LTD. – Environmental test procedure No.	DNV-TYPLCD19G-501	dated 2012-03-23
KEI SYSTEM CO., LTD. – Specification No.	DNV-LCD19G-502	dated 2012-03-23
KEI SYSTEM CO., LTD. – Environmental test report No.	NK-LCD19G-505	dated 2008-12-07
KEI SYSTEM CO., LTD. – Environmental test report No.	NK-AC220V-505	dated 2009-10-23
KEI SYSTEM CO., LTD. – Environmental test report No.	DNV-TYPLCD-505	dated 2013-04-25
KEI SYSTEM CO., LTD. – Environmental test report No.	DNV-TYPLCD-505	dated 2013-04-25
KEC – IACS UR E10 Rev. 8 test report No.	A-240-22-A Ver. B	dated 2022-12-26

Type approval renewal assessment report for TAA00001H5, DNV Kobe 2022-12-26.

#### Tests carried out

Applicable tests according to class guideline DNV-CG-0339, August 2021. The 'Compass safe distance' was measured according to section 11.2 of IEC 60945 4th edition (2002).

#### Marking of product

Manufacturer:KEI System Co., Ltd.Model name:As listed under product descriptionSerial No.:Unique serial number for each delivered itemPower supply:AC100V 50/60HZ, AC220V 50/60Hz or DC+24V

#### **Periodical assessment**

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE