



NIPPON KAIJI KYOKAI

TYPE APPROVAL CERTIFICATE FOR AUTOMATIC DEVICES AND EQUIPMENT

Certificate No. TA26036M

This is to certify that the undernoted products have been approved in accordance with the requirements specified in Chapter 1, Part 7 of “Guidance for the Approval and Type Approval of Materials and Equipment for Marine Use” and the relevant Society's Rules.

This certificate is issued to

Manufacturer:	KEI SYSTEM CO., LTD.
Place of Manufacturing:	2-2-23, Kishinosato, Nishinari-ku, Osaka, 557-0041, Japan
Product description:	LCD Panel Display Unit
Model:	KEI-LCD10
Approval No.:	98A109
Valid until:	18 June 2030

The details are described in the attached sheet(s).

Issued at Tokyo on 20 January 2026.



S. Oishi
General Manager
Machinery Department

Note: The manufacturer, if desired, is requested to apply to the Society for renewal prior to the expiration date.

NIPPON KAIJI KYOKAI

Attached sheet -1/2 to the Certificate No. TA26036M

Specification & documents:

1. Particulars: Power supply: AC 100V, DC 24V

2. Documentation and Test Reports:

NK-TYPLCD-502

NK-TYPLCD1012-505

TEST REPORT for Renew 2020 (DWG. No. NK-KEI-3240 & KEI-LCD10-2020502)

- To be continued -

Test items & approval condition:

1. Test items:

(Applied testing items are marked with X.)

ENVIRONMENTAL TESTS (IACS UR E10 Rev.9 basis)		Mark
External examination		X
Operation test and performance test		X
Electric power supply failure test		X
Power supply fluctuation test	Electric	X
	Pneumatic and Hydraulic	--
Insulation resistance test		X
High voltage test		X
Pressure test (Pneumatic and Hydraulic)		X
Dry heat test (Temperature 55°C × 16 hours)		X
Damp heat test		X
Vibration test (Acceleration ±0.7g × 1.5 hours)		X
Inclination test		X
Cold test (Temperature 5°C × 2 hours)		X
Salt mist test		--
Electrostatic discharge immunity test		X
Radiated radio frequency immunity test		X
Conducted low frequency immunity test		X
Conducted high frequency immunity test		X
Burst / Fast transient immunity test		X
Surge immunity test		X
Radiated emission test		X
Conducted emission test		X
Flame retardant test		--

2. Approval condition:

The product is not allowed to be installed on open decks.